

# AMMO




# CALIBER

Cal. 7.62x63 mm

M2 Ball, M25 Tracer |

BLANK AMMUNITION

M 199 BLANK |



# CALIBER

Cal. 7.62x63 mm

## BALLISTIC DATA

Cal. 7.62 with bullet	V <sub>23.77</sub> (m/s)	P <sub>max</sub> (bar)	Accuracy Rs	Tracer visibility
M 2	835 ± 9,1	3 447	Max 19,05 cm at 549 m	-
M 25	812 ± 9,1	3 447	Max 45,7 cm at 549 m	Dim tracer to min 13 m from the muzzle of the weapon, visible from max 92 m to min 823 m from the muzzle of the weapon



Ball, M 2



Tracer, M 25

# TECHNICAL DATA

ELEMENT		MATERIAL		Weight (g)		Length (mm)	
		M 2	M 25	M 2	M 25	M 2	M 25
Bullet	Jacket	Tombac		~9,85 g	~9,35 g	28,882	36,50
	Core	Lead antimony					
	Tracer	-	Tracer compos.	152 gr	144 gr		
Cartridge case		Brass		12,9		63,35	
Propelling charge		NCD powder		3,10	3,0	-	
Primer		Boxer non corrosive		0,34		3,30	
Cartridge				~26,2	~25,6	84,8	

## Packaging


Version 1	Version 2
<ul style="list-style-type: none"><li>• 15 rounds in cardboard box</li><li>• 10 cardboard boxes in PVC bag</li><li>• 8 PVC bags (1200 rounds) in wooden case</li></ul>	<ul style="list-style-type: none"><li>• 250 rounds in metal link belt M1</li><li>• 1 metal link belt in metal box M19A1</li><li>• 4 metal boxes (1000 rounds) in wooden crate</li></ul>

Packaging and marking could be done according to the special buyer’s request too!



# CALIBER

Cal. 7.62  
BLANK, M1999



## TECHNICAL DATA

ELEMENT	MATERIAL	Weight (g)	Length (mm)
Cartridge case	Brass	~12,95	63,7
Propelling charge	For blank ammunition	0,70	-
Primer	Boxer non corrosive	0,34	3,30
Cartridge		~14,0	63,3

## Packaging

Version 1	Version 2
<ul style="list-style-type: none"><li>• 15 rounds in cardboard box</li><li>• 10 cardboard boxes in PVC bag</li><li>• 8 PVC bags (1200 rounds) in wooden case</li></ul>	<ul style="list-style-type: none"><li>• 250 rounds in metal link belt M1</li><li>• 1 metal link belt in metal box M19A1</li><li>• 4 metal boxes in wooden crate (1000 rounds)</li></ul>

**Packaging and marking could be done according to the special buyer's request too!**